

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57
1904

1905

LIBRARY,
U.S. Department of Agriculture
Washington, D. C.
1905

... THE ...

Bellevue Nursery



ANDROMEDA MARIANA (Lily of the Valley Shrub.)

Trade-List of American

Plants and Shrubs

COLLECTED AND GROWN BY

Wm. F. BASSETT & SON

Hammonton, New Jersey, U. S. A.

Terms and Remarks.

THE SEASON just past has been unusually favorable for growth, and our stock is better than ever. Our large list of herbaceous perennials is especially fine.

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within thirty miles of Philadelphia (two railroads), one hundred miles from New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Certificate of Inspection.

A copy of the Certificate of Inspection will be mailed on application.
We will fumigate stock *when requested*.

Novelties and Specialties.

Amelanchier Rotundifolium.

We have found this so much superior to *Amelanchier Canadensis* in every respect, that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense and of a richer, darker green, turning to rich shades of crimson and gold in Autumn; and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June berry.

Pyrus Brilliantissima.

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

Hibiscus Crimson Eye.

This, the finest of all the hardy Hibiscus, was introduced by us, and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the Rose Pink Hibiscus, and we are among the very few who offer *Hibiscus Militaris*, both fine varieties.

Plants not in this List.

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *solidago*, and many others.

Seeds.

We collect American tree and shrub seeds **on orders only.** Prices quoted on application.

Large Plants.

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex glabra*, *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. **Special prices** on carload lots.

Hardy Perennial Phlox.

We offer the following selection of Hardy Perennial Phlox in strong field-grown plants. This selection is the best of a large collection.

Andreas Hoffer. Early and continuous flowering ; pure white.

Aquillon. Bright deep pink, with bright crimson eye.

Bacchante. A fine dark crimson, shading lighter to the centre.

B. Comte. Intensely rich purplish crimson ; very glowing.

Bournof. Scarlet suffused with orange, deep carmine eye.

Bridesmaid. Pure white, with large crimson centre ; very free.

Bouquet Fleur. White, with deep rose eye.

Beranger. Salmon pink suffused with white ; rosy carmine eye.

Champs Elysee. A fine rich purplish crimson.

Consul H. Trost. Pure red, with carmine centre.

Coquelicot. A fine pure scarlet with deep carmine eye ; the brightest of all phloxes. Price, \$7 per hundred.

Colibri. White suffused with rosy lilac ; dark rose eye.

Cyclon. White suffused with deep rose centre.

Eclaireur. Purplish crimson with light halo ; large flower.

Eugene Dazenvillier. Lilac shading white towards the edges, large white centre.

Fantome. Deep rosy lilac washed with white ; crimson eye.

Jeanne d'Arc. (Pearl.) Late flowering ; pure white.

Lamartine. Very bright magenta with large white centre, very distinct.

La Vague. Rosy pink with red eye.

Matador. Brightest orange scarlet ; cherry red eye. \$9 per 100.

Moliere. Salmon rose, with deep rose eye.

Madagascar. Delicate rose with deeper eye and white halo.

Multiflora. Violet rose, light centre ; large flower.

Otto Thalacker. Magenta crimson.

Ornement. Magenta with crimson eye ; dwarf.

Pantheon. Fine deep salmon rose ; very free and effective.

P. Bonnetain. Magenta, overlaid with salmon.

Prof. Schliemann. Bright lilac rose, with bright eye.

R. F. Struthers. Bright salmon pink ; crimson eye.

Sunshine. Deep salmon pink, with deep rose eye.

Semiramis. Purplish magenta.

Sylphide. Large flower, dwarf ; pure white.

Thebaide. Salmon red, with crimson eye ; small flower, but very fine.

The Pearl. The best pure white.

Price, except where noted : 10 c. each ; \$1 for 10 : \$5 per 100 ; \$45 per 1000.

General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

| | EACH | 10 | 100 | 1000 |
|--|--------|------|------|-------|
| Achillea eupatoria | \$0.15 | 1.00 | | |
| " millefolium roseum | 10 | .50 | 3.00 | 25.00 |
| " The Pearl | 10 | .40 | 2.50 | 20.00 |
| " tomentosa | 15 | .50 | 4.00 | |
| Acorus calamus, collected | 10 | .50 | 2.00 | |
| Adiantum pedatum | 15 | .60 | 3.00 | 25.00 |
| Aletris farinosa, col | 10 | .50 | 1.80 | 12.00 |
| Alyssum saxatile | 10 | .75 | | |
| Amsonia salicifolia | 15 | 1.00 | | |
| Andropogon macrourus, col | 10 | .50 | 2.00 | 15.00 |
| Anemone Pennsylvanica | 20 | .75 | 3.00 | |
| " nemorosa | 15 | .60 | 3.00 | |
| Anemoneella thalictroides, col | 15 | .60 | 3.00 | |
| Apios tuberosa | 10 | .30 | 1.00 | 8.00 |
| Aquilegia Canadensis, col | | .50 | 2.50 | 20.00 |
| " cœrulea hybrida | 25 | .75 | 4.00 | |
| Aralia hispida | 15 | .75 | | |
| Arenaria squarrosa, col | 20 | .70 | 3.00 | 25.00 |
| Arisaema Dracontium, col | 20 | .80 | 4.00 | |
| " triphyllum, col | 10 | .50 | 2.00 | 15.00 |
| Asarum Canadense | 15 | .50 | 4.00 | |
| Asclepias incarnata pulchra, col | 10 | .50 | 3.00 | 20.00 |
| " obtusifolia, col | 20 | .80 | | |
| " tuberosa, col | 20 | 1.00 | 6.00 | 40.00 |
| Aspidium acrostichoides | 10 | .50 | 2.00 | 15.00 |
| " aculeatum var. Braunii, col | 30 | 1.25 | | |
| " cristatum, col | 20 | .70 | 4.00 | |
| " goldianum | 25 | 1.25 | | |
| " marginale, col | 10 | .50 | 2.00 | 15.00 |
| " novaboracensis, col | 10 | .50 | 2.00 | 15.00 |
| " spinulosum, col | 15 | .75 | 3.00 | 25.00 |
| " thelypteris, col | 10 | .50 | 2.00 | 15.00 |
| Asplenium ebeneum, col | 10 | .50 | 2.00 | 15.00 |
| " trichomanes, col | 15 | .60 | 3.00 | |
| Aster concolor, col | 15 | .75 | | |
| " linariifolius, col | 10 | .50 | 2.00 | 15.00 |
| " longifolius, col | 15 | .75 | | |
| " Nova Anglæ | 15 | .60 | 3.50 | |
| " " rubra | 15 | 1.00 | 8.00 | |
| " " rosea | 15 | 1.00 | 8.00 | |
| " Mrs. F. Raynor | 15 | 1.00 | | |
| " laevigata | 15 | .75 | 5.00 | |
| " floribunda | 25 | | | |
| " patens, col | 10 | .50 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| Aster puniceus, col | 20 | .75 | | |
| “ spectabilis, col | 10 | .50 | 2.50 | 15.00 |
| “ tradescantii, col | 10 | .40 | 2.50 | 15.00 |
| “ Tartaricus | 15 | .75 | 3.00 | 20.00 |
| Baptisia tinctoria, col | 25 | 1.00 | 3.00 | |
| Boltonia asteroides | 15 | .75 | 3.50 | |
| “ glastifolia | 25 | 1.00 | 3.50 | |
| “ latasquamae | 15 | .75 | 3.50 | |
| Botrychium Virginicum, col | 20 | .60 | 4.00 | |
| Brasenia peltata, col | 10 | .50 | 2.00 | 15.00 |
| Breweria Pickeringii, col | 25 | 1.00 | 6.00 | |
| Brunella vulgaris | 10 | .50 | 2.00 | 15.00 |
| Calamagrostis brevipilis, col | 25 | 1.00 | 5.00 | |
| “ Nuttaliana, col | 25 | 1.00 | 6.00 | |
| Calla palustris, col | 15 | .75 | 4.00 | |
| Calopogon pulchellus, col | 15 | .60 | 4.00 | |
| Caltha palustris, col | 15 | .60 | 3.00 | 25.00 |
| Campanula carpatica | 15 | .75 | | |
| Camptosorus rhizophyllus, col | 15 | .50 | 2.50 | |
| Cassia Marylandica | 15 | .60 | 3.00 | |
| Centrosema Virginica (root cuttings) | | .25 | .80 | 7.50 |
| “ “ White Lady (root cuttings) | | .50 | 1.50 | 10.00 |
| Chelone glabra, col | 10 | .50 | 3.00 | |
| Chimphila maculata, col | 15 | .60 | 3.00 | |
| “ umbellata, col | 15 | .75 | 4.00 | |
| Chrysopsis falcata, col | 20 | .50 | 3.00 | 10.00 |
| “ Mariana, col | 10 | .50 | 2.50 | 15.00 |
| Cimicifuga racemosa, col | 15 | .60 | 3.00 | 20.00 |
| Claytonia Virginica, col | 15 | .60 | 3.00 | |
| Clintonia borealis, col | 15 | .60 | 3.00 | |
| Coreopsis grandiflora (Harvest Moon) | 15 | .75 | 3.00 | |
| “ lanceolata | 10 | .50 | 2.00 | 15.00 |
| “ rosea | 15 | .75 | | |
| Coronilla varia | 10 | .60 | 3.00 | |
| Cunilla Mariana, col | 20 | .60 | 3.00 | |
| Cypripedium acaule, col | 15 | .75 | 4.00 | |
| Delphinium Chinensis, white | 10 | .60 | | |
| Dentaria laciniata, col | 15 | .60 | 3.00 | |
| Dicentra Canadensis, col | 15 | .75 | 2.50 | 15.00 |
| “ cucullaria, col | 15 | .60 | 2.00 | 15.00 |
| Dicksonia pilosusiuscula | 15 | .60 | 2.00 | 10.00 |
| Digitalis gloxinoides | 15 | .75 | | |
| Dioscorea villosa, col | 25 | 1.50 | | |
| Dracocephalum Virginicum | 10 | .50 | 2.00 | |
| Drosera filiformis, col | 15 | .60 | 1.50 | 10.00 |
| “ intermedia | 15 | .60 | 3.00 | |
| Elodes Virginica, col | 15 | .60 | 3.00 | 15.00 |
| Epilobium augustifolium, col | 15 | .75 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| <i>Erianthus alopecuroides</i> , col | 15 | .60 | 3.00 | |
| <i>Eriocaulon gnaphalodes</i> , col | 15 | .60 | 2.50 | |
| " <i>decangulare</i> , col | 15 | .60 | 2.50 | |
| <i>Eriophorum Virginicum</i> , col | 15 | .75 | | |
| <i>Eryngium amethystinum</i> | 25 | 1.00 | | |
| " <i>Virginicum</i> | 15 | .75 | 5.00 | |
| <i>Erythronium Americanum</i> , col | 15 | .60 | | |
| <i>Eulalia gracillima</i> | 10 | .50 | 2.00 | 18.00 |
| " <i>Japonica</i> | | .50 | | |
| " <i>Japonica zebrina</i> | 15 | .60 | 2.50 | 18.00 |
| <i>Eupatorium ageratoides</i> | 15 | .75 | 4.00 | |
| " " " col | 15 | .60 | 3.00 | 20.00 |
| " <i>purpureum</i> , col | 15 | .60 | 3.00 | 20.00 |
| <i>Euphorbia corollata</i> | 15 | .50 | 3.00 | 20.00 |
| " <i>ipecacuanhæ</i> , col | 10 | .60 | 3.00 | |
| <i>Funkia lancifolia</i> | 15 | .60 | 3.00 | |
| " <i>Sieboldii</i> | 25 | 2.00 | | |
| <i>Gaillardia grandiflora</i> | 20 | 1.00 | 5.00 | |
| <i>Galactea glabella</i> | 20 | .80 | 5.00 | |
| <i>Galtonia (Hyacinthus) Candicans</i> | | .75 | 4.00 | |
| <i>Gentiana Andrewsii</i> , col | 25 | 1.25 | 6.00 | |
| " <i>augustifolia</i> , col | 25 | 1.50 | | |
| " <i>saponaria</i> , col | 25 | 1.00 | 6.00 | |
| <i>Geranium maculatum</i> , col | 15 | .60 | 2.50 | |
| " <i>sanguineum</i> | 15 | .80 | 5.00 | |
| <i>Gerardia flava</i> , col | 20 | .75 | 4.00 | |
| <i>Gillenia trifoliata</i> , col | 25 | 1.00 | | |
| <i>Goodyera pubescens</i> | 30 | 1.00 | | |
| <i>Gratiola aurea</i> , col | 15 | .60 | 3.00 | |
| <i>Gypsophyla repens</i> | 25 | 1.50 | | |
| <i>Habenaria blephariglottis</i> , col | 15 | .70 | 5.00 | |
| " <i>ciliaris</i> , col | 15 | .75 | 5.00 | |
| <i>Helenium autumnale</i> | 15 | .60 | 2.00 | 15.00 |
| " " <i>superbum</i> | 15 | .60 | 3.50 | 30.00 |
| " <i>pumilum</i> | 15 | 1.00 | | |
| " <i>grandicephalum striatum</i> | 15 | .60 | 4.00 | 35.00 |
| <i>Helianthus angustifolius</i> , col | 15 | .60 | 3.00 | 20.00 |
| " <i>decapetalus</i> | 20 | .75 | 4.00 | |
| " <i>divaricatus</i> , col | 15 | .60 | 3.00 | 20.00 |
| " <i>giganteus</i> | 15 | .60 | 3.00 | |
| " <i>laetiflorus</i> | 10 | .50 | 2.00 | 10.00 |
| " <i>Maximillianii</i> | 20 | .80 | 5.00 | |
| " <i>mollis</i> | 20 | .75 | 3.00 | |
| " <i>strumosus</i> | 10 | .50 | 3.00 | |
| <i>Heliopsis Pitcheriana</i> | 25 | 1.00 | 4.00 | |
| " <i>scabra</i> | 20 | 1.00 | 4.00 | |
| <i>Helonias bullata</i> , col | 20 | .85 | 4.00 | 30.00 |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|------|------|-------|
| Hemerocallis Dumortieri | 15 | .60 | 3.00 | 25.00 |
| " florham | 30 | | | |
| " flava | 20 | .75 | 5.00 | |
| " fulva | 10 | .60 | 2.00 | 15.00 |
| " middendorfiana | 25 | 2.00 | | |
| " Kwanso plena, var | 25 | 1.25 | | |
| " Thunbergii | 20 | .75 | 4.00 | |
| Hepatica acutiloba, col | 15 | .60 | 3.00 | 20.00 |
| " triloba, col | 15 | .60 | 3.00 | 20.00 |
| Heuchera Americana | 15 | .75 | 4.00 | |
| " " col | 15 | .50 | 2.00 | 15.00 |
| Hibiscus moscheutos | 15 | .60 | 3.00 | 20.00 |
| " " Crimson Eye | 15 | .60 | 2.50 | 18.00 |
| " " Rose Pink | 15 | .60 | 3.00 | 20.00 |
| " militaris | 15 | .75 | 3.00 | |
| Houstonia cœrulea, col | 15 | .50 | 3.00 | |
| Hypericum angulosum, col | 15 | .60 | | |
| " ascyon | 25 | | | |
| Iberis sempervirens | 20 | .50 | 3.50 | |
| " " superba | 25 | .75 | 4.00 | |
| Ipomœa pandurata, col | 25 | 1.00 | 6.00 | |
| Iris Germanica, Madam Cherau | | .75 | 4.00 | |
| " " mixed | | .50 | 2.00 | 10.00 |
| " aurea | 25 | 1.00 | | |
| " prismaticæ, col | 15 | .60 | 2.00 | 15.00 |
| " pumila | 15 | .60 | 2.50 | |
| " pseudacorus | 10 | .50 | | |
| " Siberica | 15 | .50 | 3.00 | |
| " " alba | 25 | .60 | 4.00 | |
| " versicolor | | .75 | 4.00 | |
| " " col | 15 | .60 | 2.00 | 12.00 |
| Lacnanthes tinctoria | 10 | .50 | 2.00 | 15.00 |
| Liatris graminifolia, col | 10 | .50 | 2.00 | 15.00 |
| " cylindriaca | 15 | 1.00 | | |
| " pycnostachia | 25 | 1.25 | 4.00 | 30.00 |
| " spicata | 20 | .75 | 2.50 | |
| Lilium Philadelphicum, col | 25 | .80 | | |
| " superbum | 20 | .75 | 5.00 | |
| " Canadense flavum | 20 | .75 | | |
| " " rubrum | 20 | .75 | | |
| Linaria Canadensis | 10 | .50 | 2.00 | 10.00 |
| " vulgaris | 15 | .50 | 2.00 | 15.00 |
| Liparis liliifolia | 25 | 1.25 | 8.00 | |
| Lobelia cardinalis, col | 20 | .60 | 3.00 | 20.00 |
| " syphilitica, col | 25 | .80 | 4.00 | |
| Lophiola aurea, col | 25 | 1.00 | 5.00 | 30.00 |
| Lupinus perennis | 15 | 1.00 | 6.00 | |
| Lychnis chalcedonica | 15 | .60 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---------------------------------------|------|------|------|-------|
| Lysimachia ciliata | 15 | .60 | 3.00 | |
| " clethroides | 15 | .60 | 4.00 | |
| " nummularia | 15 | .60 | 2.00 | |
| " punctata | 15 | .60 | 3.00 | |
| " quadrifolia, col | 15 | .60 | 2.50 | |
| " stricta, col | 15 | .60 | 3.00 | |
| Lythrum salicaria superba | 15 | .80 | 4.00 | |
| Malva moschata | 15 | .75 | | |
| Mertensia Virginica, col | 20 | .75 | 3.50 | 25.00 |
| Mikania scandens, col | 25 | 1.00 | | |
| Mitchella, repens, col | 10 | .50 | 2.00 | 15.00 |
| Monarda didyma splendens | 15 | 1.00 | 5.00 | |
| " purpurea | 15 | 1.00 | 5.00 | |
| " fistulosa | 15 | 1.00 | 5.00 | |
| Mentha piperita | 15 | .75 | 2.50 | |
| " viridis | 15 | .75 | 2.50 | |
| Narthecium Americanum, col | 30 | 1.50 | 5.00 | 40.00 |
| Nepeta glechoma | 10 | .50 | 2.00 | |
| Nesaea verticillata, col | 25 | 1.00 | 5.00 | |
| Nuphar advena, col | 25 | 1.00 | 6.00 | |
| Nymphaea odorata, col | 25 | .75 | 3.00 | |
| " " minor, col | 25 | .75 | 3.00 | |
| Oenothera fruticosa, col | 15 | .60 | 2.00 | 18.00 |
| " Youngii | 15 | .75 | | |
| Onoclea sensibilis, col | 15 | .50 | 2.00 | 10.00 |
| " struthiopteris, col | 15 | .70 | 4.00 | |
| Opuntia Raffinesquii | 15 | .60 | 2.00 | 15.00 |
| Orontium Aquaticum, col | 20 | .90 | 6.00 | 45.00 |
| Osmunda cinnamomea, col | 20 | 1.00 | 6.00 | 35.00 |
| " Claytoniana, col | 20 | .85 | 4.00 | 35.00 |
| " gracilis, col | 25 | 1.00 | 6.00 | 40.00 |
| " regalis, col | 20 | 1.00 | 6.00 | 40.00 |
| Oxalis violacea, col | 15 | .60 | 3.00 | |
| Panicum virgatum, col | 15 | .60 | 2.00 | 15.00 |
| Pardanthus Chinensis | 10 | .50 | 2.00 | 15.00 |
| Pentstemon barbatus Torreyi | 20 | .75 | 4.50 | |
| " grandiflorus | 20 | .75 | 5.00 | |
| " digitalis | 20 | 1.00 | 5.00 | |
| " pubescens | 15 | .60 | 2.50 | 20.00 |
| Peltandra Virginica, col | 30 | 1.50 | 8.00 | 60.00 |
| Phragmites australis | 15 | .60 | | |
| " hexagonoptera | 15 | .60 | 3.00 | |
| " polypodioides | 15 | .60 | | |
| Phlox divaricata, col | 20 | .75 | 3.00 | 25.00 |
| " maculata, col | 20 | .75 | 3.50 | |
| " subulata | 15 | .60 | 2.50 | |
| " " alba | 15 | .60 | 2.50 | |
| " The Pearl | 10 | .60 | 4.00 | |
| Physostegia Virginica | 15 | 1.00 | | |
| " " alba | 15 | 1.00 | | |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|------|------|-------|
| Plumbago larpetæ | 15 | .60 | | |
| Platycodon grandiflorum | 25 | .60 | 5.00 | |
| " " album | 25 | .60 | 5.00 | |
| Podophyllum peltatum, col | 15 | .60 | 2.00 | 15.00 |
| Pogonia ophioglossoides, col | 20 | .75 | | |
| Polypodium vulgare | 15 | .60 | 2.00 | 12.00 |
| Pontederia cordata, col | 20 | .75 | 4.00 | 30.00 |
| Pteris aquilina, col | 15 | .50 | 2.00 | 10.00 |
| Pycnanthemum linifolium | 10 | .50 | 4.00 | |
| Pyrola chlorantha, col | 15 | .60 | 3.00 | |
| " elliptica, col | 15 | .60 | 3.00 | |
| " rotundifolia, col | 15 | .60 | 3.00 | |
| Pyxidanthera barbulata, col | 20 | .75 | 3.00 | 25.00 |
| Rudbeckia fulgida | 20 | .50 | 3.00 | |
| " hirta, col | 15 | .60 | 2.50 | 20.00 |
| " laciniate | 15 | .60 | 3.00 | 25.00 |
| " " fl. pl. (Golden Glow) | 10 | .50 | 3.50 | 20.00 |
| " speciosa | 15 | .80 | 4.00 | |
| Sabbatia chloroides, col | 25 | .75 | 5.00 | 40.00 |
| " lanceolata, col | 15 | .60 | 4.00 | 35.00 |
| Salvia lyrata | 10 | .50 | 2.00 | 15.00 |
| " azurea grandiflora | 25 | .75 | 5.00 | |
| Sanguinaria Canadensis | 15 | .60 | 2.00 | 18.00 |
| Sarracenia purpurea, col | 25 | .75 | 3.00 | 25.00 |
| Scirpus Eriophorum, col | 15 | .60 | 3.00 | |
| Sedum acre | 10 | .50 | 3.00 | 20.00 |
| " album | | .50 | | |
| " spectabile | 15 | 1.00 | 5.00 | |
| " ternatum | 15 | .60 | 3.00 | 20.00 |
| Silene Pennsylvanicum | 20 | .75 | 5.00 | |
| " stellata | 15 | .60 | 3.00 | |
| Smilacina bifolia, col | 20 | .75 | 3.00 | 25.00 |
| " racemosa, col | 20 | .75 | 3.00 | 25.00 |
| Solidago altissimum, col | 15 | .60 | 2.50 | |
| " caesia, col | 15 | .50 | | |
| " Canadensis | 15 | .60 | 2.50 | |
| " lanceolata, col | 10 | .50 | 2.00 | 15.00 |
| " nemoralis, col | 15 | .60 | 2.00 | 15.00 |
| " odora, col | 10 | .50 | 2.00 | 15.00 |
| " puberula, col | 15 | .60 | 2.50 | |
| " sempervirens | 10 | .60 | 2.50 | 20.00 |
| " tenuifolia, col | 10 | .50 | 2.00 | 15.00 |
| " virgata, col | 20 | .75 | 3.00 | 25.00 |
| Tephrosia Virginica, col | 15 | .60 | 3.00 | 25.00 |
| Thalictrum cornutum, col | 20 | .75 | 3.00 | 25.00 |
| " dioicum, col | 20 | .75 | 3.50 | 30.00 |
| Tradescantia Virginica | 15 | .60 | 3.00 | 25.00 |
| " " alba | 20 | .75 | 3.50 | |
| " " fl. pl | 25 | 1.00 | 3.00 | |
| Trillium erectum, col | 15 | .60 | 3.00 | |
| " " album, col | 20 | .75 | 4.00 | |

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|------|-------|-------|
| Trillium grandiflorum | 15 | .50 | 2.50 | 15.00 |
| " " roseum | 20 | .75 | 5.00 | |
| Tritoma uvaria | 25 | 1.25 | | |
| " Pfitzerii | 25 | 1.25 | | |
| Thymus vulgaris | 10 | .60 | 4.00 | |
| Typha angustifolia, col | 15 | .60 | 3.00 | 25.00 |
| " latifolia, col | 15 | .60 | 3.00 | 25.00 |
| Vernonia hybrida | 15 | 1.00 | 5.00 | |
| " novaboracensis, col | 20 | .80 | 5.00 | |
| Veronica Circæoides | 15 | .75 | 3.00 | |
| " officinalis | 25 | .50 | 2.00 | 18.00 |
| " longifolia subsessilis | 25 | 1.00 | 7.00 | |
| Viola cucullata | 10 | .50 | 1.50 | 10.00 |
| " pedata, col | 15 | .50 | 2.50 | 20.00 |
| " " bicolor | 25 | 1.00 | | |
| " primulæfolia, col | 20 | .75 | | |
| " Pink Gem | 25 | .75 | 5.00 | |
| Viola, Pinehurst | 15 | 1.00 | | |
| Water Hyacinth | 15 | .50 | 3.00 | |
| Woodwardia angustifolia, col | 15 | .60 | 2.50 | 20.00 |
| " Virginica, col | 15 | .60 | 2.00 | 15.00 |
| Xerophyllum asphodeloides, col | 15 | .60 | 2.00 | 15.00 |
| " " in strong clumps, col | 25 | 1.50 | 10.00 | |
| Yucca filamentosa | 20 | .70 | 3.50 | 30.00 |
| " " (heavy plants) | 25 | 1.50 | 7.00 | |

Trees, Shrubs, and Woody Climbers.

| | | | | |
|---|-----|------|-------|-------|
| Acer Platanoides, 6 to 12 feet | 30 | 2.50 | | |
| " " 3 to 6 feet | 20 | 1.50 | 10.00 | |
| " " 1 to 2 feet | 10 | .50 | 2.50 | |
| " " seedlings, 4 to 6 inches | .25 | 1.00 | | |
| " rubrum, 5 to 8 feet, col | 25 | 1.25 | 8.00 | |
| " " 4 to 5 feet, col | 20 | .80 | 4.00 | |
| " " 3 to 4 feet, col | 20 | .75 | 3.00 | |
| " " 2 to 3 feet, col | 15 | .50 | 2.50 | 15.00 |
| " spicatum, col | | 1.00 | 4.00 | |
| Akebia quinata, 2 years | 15 | .50 | 3.00 | |
| Amelanchier Botryapium, col | | .60 | 3.50 | 30.00 |
| " Canadensis, 3 to 4 feet, trans | 25 | 1.75 | | |
| " " 2 years, trans | 15 | 1.00 | 5.00 | |
| " " col | | .60 | 3.00 | |
| " " rotundifolium, 2 to 3 feet | 25 | 1.00 | 5.00 | |
| " " " 1 to 2 ft, trans | 15 | .75 | 3.00 | |
| Ampelopsis quinquefolia, 2 years | 15 | .60 | 3.00 | |
| Andromeda arborea, 1 to 2 feet | 25 | 1.25 | 6.00 | |
| " calyculata, col | | .60 | 2.00 | 15.00 |
| " ligustrina, col | | .60 | 3.00 | 25.00 |

All plants in this list are nursery-grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|--|------|-------|-------|-------|
| Andromeda Mariana, 1 to 2 feet | 20 | 1.00 | 5.00 | |
| " " 6 to 12 in | 15 | .75 | 4.00 | |
| " " col | | .75 | 3.50 | 25.00 |
| " polifolia, 3 years | 25 | .75 | 3.00 | |
| " racemosa, 1 to 2 feet | 25 | 1.00 | 7.50 | |
| " " col | | .60 | 2.50 | 20.00 |
| Arctostaphylos uva-ursi, col | | .60 | 2.00 | 15.00 |
| Asimina triloba | 35 | 2.50 | | |
| Ascyrum Crux-Andräe, col | 15 | .60 | 3.00 | |
| " stans, col | 15 | .60 | 3.00 | |
| Azalea arboreascens, 2 to 3 feet | 40 | | | |
| " calendulacea, 1 to 2 feet | 35 | 2.00 | 18.00 | |
| " " 2 to 3 feet | 50 | 4.00 | | |
| " nudiflora, 2 to 3 feet | 50 | 5.00 | | |
| " " 1 year, trans | | .75 | 5.00 | |
| " " col | | .60 | 3.00 | 25.00 |
| " Vaseyi, 2 to 3 feet | 40 | | | |
| " viscosa, 1 year, trans | 15 | .80 | 6.00 | |
| " " col | | .60 | 3.00 | 25.00 |
| " " 3 to 6 feet, with ball, col | 1.50 | 10.00 | | |
| This is an exceptionally fine, bushy lot, well budded, and can be furnished in carload lots at special prices. | | | | |
| Baccharis halimifolia, col | 15 | .75 | 5.00 | 30.00 |
| Berberis Thunbergii, 1 to 2 feet | 15 | 1.00 | 8.00 | |
| " vulgaris, 10 to 12 inches | 10 | .40 | 2.00 | |
| Betula lenta, 6 to 10 feet, trans | 35 | 2.00 | 10.00 | |
| " " 4 to 6 feet, trans | 25 | 1.25 | 8.00 | |
| " " col | | .50 | 2.50 | 18.00 |
| " nigra, 5 to 8 feet, fine | 40 | 1.50 | 10.00 | |
| " " 8 to 15 feet | 50 | 2.50 | 15.00 | |
| " populifolia, col | | .50 | 1.50 | 10.00 |
| " lutea, 5 to 10 feet, extra | 40 | 2.50 | | |
| " papyracea, 8 to 10 feet | 40 | | | |
| Calycanthus Floridus, 1 to 2 feet | 15 | 1.00 | 6.00 | |
| Carpinus Americana, 4 to 6 feet | 25 | 1.00 | 7.00 | |
| " " 3 to 4 feet | | .80 | 6.00 | |
| Ceanothus Americanus, col | 10 | .60 | 4.00 | |
| Celastrus scandens, col | | .50 | 2.00 | 15.00 |
| Caphalanthus occidentalis, 2 to 3 feet | 15 | .80 | 5.00 | |
| " " 1 to 2 feet | 10 | .50 | 3.00 | |
| Cercis Canadensis, 1 to 2 feet | 25 | 1.00 | 6.00 | |
| " " col | | .60 | 4.00 | 30.00 |
| Chionanthus Virginica, 2 to 3 feet | 30 | 1.25 | 6.00 | 50.00 |
| " " 1 to 2 feet | 15 | .60 | 3.50 | |
| Clematis Virginica, col | | .50 | 2.50 | 18.00 |
| Clethra alnifolia, 2 to 3 feet | 15 | .80 | 5.00 | |
| " " 1 to 2 feet | 10 | .50 | 3.00 | 25.00 |
| " " col | | .50 | 2.00 | 15.00 |

All plants in this list are nursery grown unless otherwise specified.

| | | EACH | 10 | 100 | 1000 |
|---|------|--------|--------|-----|-------|
| Comptonia asplenifolia, 1½ to 2 feet, bushy . . . | 25 | \$1.00 | \$9.00 | | |
| " " col | | .50 | 2.50 | | 15.00 |
| Cornus Florida, 3 to 5 feet | 25 | 2.00 | 15.00 | | |
| " " 2 to 3 feet | 15 | 1.00 | 10.00 | | |
| " " col | | .60 | 3.50 | | 20.00 |
| " " mas., 2 to 3 feet | 15 | .90 | 5.00 | | |
| " " circinata, col | | .60 | 3.50 | | 30.00 |
| " " paniculata, 2 to 4 feet | 20 | 1.00 | | | |
| " " col | | .60 | 3.00 | | 25.00 |
| " " sericea, 2 to 3 feet | 20 | .75 | 6.00 | | |
| " " col | | .60 | 2.50 | | 20.00 |
| Corylus Americana, 2 to 3½ feet, fine | 30 | 2.00 | 10.00 | | |
| " " col | | .60 | 3.00 | | 20.00 |
| Crataegus parvifolia, 2 to 3 feet, heavy | 30 | 1.75 | | | |
| " " col | | .60 | 4.00 | | 35.00 |
| " " crus-galli, 3 to 4 feet | 40 | 1.50 | | | |
| Cupressus thyoides, col | | .50 | 1.50 | | 8.00 |
| Diervilla trifida, trans | 15 | .60 | 4.00 | | |
| " " col | | .60 | 3.00 | | 25.00 |
| " " sessilifolia, 3 to 4 feet | 20 | 1.00 | 7.50 | | |
| Dimormanthus Mandschuricus, 5 to 10 feet . . . | 50 | 3.00 | 18.00 | | |
| Diospyros Virginica, col | 20 | .75 | 4.00 | | |
| Dirca palustris, trans | 20 | .75 | | | |
| Epigaea repens, col. seedlings, with ball | 25 | 1.00 | 6.00 | | |
| Euonymus Americanus, trans | 15 | .60 | 3.50 | | |
| " " col | | .60 | 2.50 | | 20.00 |
| " " radicans, strong | 15 | .60 | 3.50 | | |
| " " variegated | 15 | .75 | | | |
| " " Europaeus, 3 to 4 feet | 20 | 1.00 | 4.00 | | |
| " " 2 to 3 feet | 15 | .60 | 3.00 | | |
| Forsythia Fortunei, 1 year | 15 | .60 | 3.00 | | |
| Gaultheria procumbens, col | 10 | .40 | 1.50 | | 10.00 |
| " " col clumps | | .50 | 2.00 | | 15.00 |
| Gaylussacia Dumosa | 15 | .60 | 3.50 | | |
| " " col | | .60 | 3.00 | | 20.00 |
| " " frondosa | 15 | .60 | | | |
| " " " col | | .50 | 3.00 | | 25.00 |
| " " resinosa, col | 15 | .50 | 2.00 | | 15.00 |
| Hammamelis Virginica, 3 to 4 feet | 25 | 1.25 | 10.00 | | |
| " " 2 to 3 feet | 15 | .75 | 6.00 | | |
| " " col | | .60 | 3.50 | | 30.00 |
| Hudsonia ericoides, col | 10 | .50 | 2.00 | | 15.00 |
| " " tomentosa, col | | .60 | 4.00 | | 20.00 |
| Hydrangea arborescens, 2 to 3 feet | 15 | .75 | 6.00 | | |
| " " col | | .60 | 3.00 | | 25.00 |
| Hypericum densiflorum, col | 15 | .60 | 2.00 | | 10.00 |
| Ilex glabra, 6 to 12 inch, col | 15 | .60 | 3.00 | | |
| " " 1 to 2 feet, with ball, col | 50 | 3.00 | 17.00 | | |
| " " 2 to 3 feet, with ball, col | 1.00 | 6.00 | 40.00 | | |
| Ilex Opaca, col. seedlings | | .75 | 4.00 | | 35.00 |

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|------|-------|--------|
| | | 1.50 | 12.00 | |
| Ilex Opaca, col, 1 to 2 feet, bushy | | | | |
| Prices quoted on larger sizes on application. We cut leaves from all Ilex Opaca as soon as dug. | | | | |
| Ilex verticillata, 2 to 3 feet, berry bearing | 75 | 5.00 | 30.00 | |
| " " col | | .85 | 4.00 | |
| Itea Virginica, 1 to 2 feet | 15 | .50 | 4.00 | |
| " " col | | .50 | 3.00 | |
| Juniperus Virginiana, col | 15 | .50 | 2.00 | 15.00 |
| Kalmia angustifolia, col | | .60 | 2.00 | 15.00 |
| " glauca, 12 to 15 inches | 25 | 1.00 | 6.00 | |
| " latifolia, 6 to 12 inches, col | | .60 | 2.50 | 15.00 |
| " " 2 feet, with ball, col | 40 | 2.50 | 20.00 | |
| We have a fine lot of this grade of Kalmias growing on land which was burned over four years ago, which we can furnish by thousand or carload at special prices. | | | | |
| Kolreuteria paniculata, 1 to 3 feet, trans | 10 | .50 | 3.00 | 25.00 |
| Ledum latifolium, 8 to 12 inches, bushy | 30 | 1.50 | | |
| Ligustrum Ibota | 20 | .75 | | |
| Leiophyllum buxifolium, col | 15 | .60 | 4.00 | 35.00 |
| Leucothoe Catesbaei, 6 to 12 inches | 10 | .60 | 4.00 | |
| Lindera Benzoin, 12 to 18 inches | 20 | .80 | 5.00 | |
| " " col | | .60 | 3.00 | 25.00 |
| Liquidambar styraciflua, 6 to 8 feet | 50 | 3.50 | | |
| " " 4 to 6 feet | 35 | 3.00 | 25.00 | |
| " " col | | .60 | 2.00 | |
| Liriodendron tulipifera, 6 to 8 feet | 35 | 2.50 | 18.00 | |
| " " 5 to 6 feet | 25 | 2.00 | 12.00 | 100.00 |
| " " 4 to 5 feet | 15 | 1.25 | 10.00 | 75.00 |
| Lonicera Brachypoda, col | 15 | .60 | 3.00 | 25.00 |
| " fragrantissima, 3 to 5 feet | 15 | .50 | | |
| " Halleana, 2 years | 35 | .75 | 3.50 | 25.00 |
| Lyceum vulgare | 10 | .50 | 2.50 | |
| Magnolia glauca, transplanted | 25 | 1.50 | | |
| Menispermum Canadense, col | 15 | .60 | 2.50 | 20.00 |
| Myrica cerifera, col | | .75 | 3.50 | |
| " gale, 1½ to 2½ feet, bushy | 25 | 1.00 | 7.50 | |
| " " col | | .75 | 3.50 | 30.00 |
| Nyssa, multiflora, trans | 15 | 1.50 | 10.00 | |
| Ostrya Virginica, 1 to 2 feet | | 1.25 | 8.00 | |
| Platanus orientalis, 10 feet | 40 | 3.00 | | |
| " " 5 to 10 feet | 25 | 2.00 | 15.00 | |
| " " 3 to 5 feet | 15 | 1.00 | 8.00 | |
| Potentilla fruticosa, 1 to 2 feet | 15 | .60 | 3.00 | |
| Prunus maritima, col | 15 | .60 | 3.00 | 20.00 |
| " serotina, col | 15 | .60 | 3.00 | 20.00 |
| " Virginiana, col | 15 | .60 | 3.00 | 25.00 |
| Pyrus arbutifolia, 2 to 3 feet | 15 | .60 | 4.00 | 35.00 |

All plants in this list are nursery-grown unless otherwise specified.


| | EACH | 10 | 100 | 1000 |
|---|------|--------|--------|-------|
| Pyrus arbutifolia, var. Brilliantissima, 2 to 3 feet, bushy | 25 | \$1.00 | \$6.00 | |
| " " var. Brilliantissima, 1 to 2 ft | 15 | .75 | 5.00 | |
| " melanocarpa, black-fruited | 15 | .75 | 4.50 | 35.00 |
| " " col | | .60 | 3.00 | |
| Rododendron maximum, 1 to 2 ft | 35 | 2.00 | 12.00 | |
| " " col. seedlings, 6 to 12 in | | .75 | 2.00 | 18.00 |
| " " Catawicense | 15 | 1.00 | 7.50 | |
| Rhus copallina, 1 to 2 feet | | .75 | 4.00 | |
| " " col | | .50 | 2.00 | 15.00 |
| " glabra, col | | .75 | 3.00 | |
| " typhina, col | 15 | .60 | 2.50 | 20.00 |
| Robinia hispida | 15 | .50 | 3.00 | 25.00 |
| Rosa Blanda | 15 | 1.00 | 7.00 | |
| " Carolina | 15 | .60 | 3.00 | |
| " " col | | .60 | 2.00 | 18.00 |
| " lucida | 15 | .60 | 5.00 | |
| " " col | | .50 | 4.00 | 30.00 |
| " nitida | 20 | 1.25 | 7.00 | |
| " rugosa | 20 | 1.25 | 8.00 | |
| " setigera | 15 | 1.25 | 7.00 | |
| Rubus Canadensis, col | 10 | .40 | 1.50 | 10.00 |
| " cuneifolius, col | 10 | .40 | 2.00 | 15.00 |
| " hispida, col | | .50 | 1.50 | 7.50 |
| " odoratus | 20 | .75 | 3.00 | |
| " " col | | .50 | 2.00 | 15.00 |
| Sambucus Canadensis, col | 20 | .75 | 5.00 | |
| Sassafras, col | | .50 | 3.00 | 25.00 |
| Smilax rotundifolium, col | 15 | .60 | 3.00 | 25.00 |
| " Walterii, col | 25 | 1.00 | 6.00 | |
| Spiraea Anthony Waterer, 2 to 3 feet | 25 | 1.75 | | |
| " opulifolia, 6 to 10 feet | 20 | .75 | | |
| " salicifolia, 3 to 4 feet | 15 | .60 | 3.50 | |
| " tomentosa, 3 to 4 feet | 15 | .60 | 2.50 | 20.00 |
| " " col | | .60 | 2.00 | 15.00 |
| " " alba, 2 to 4 feet | 15 | .60 | 2.50 | |
| Staphylea trifolia, col | 15 | .60 | 3.00 | 25.00 |
| Stuartia pentagyna, 8 to 12 in | 15 | 1.00 | 7.50 | |
| Symphoricarpu vulgaris, 3 to 4 feet | 15 | .60 | 3.00 | 25.00 |
| " " 2 to 3 feet | 10 | .50 | 2.00 | 20.00 |
| Tecoma radicans | 10 | .50 | 2.50 | 20.00 |
| Ulmus Americana, 6 to 8 feet | 15 | 1.00 | 6.00 | |
| Vaccinium corymbosum, transplanted | 15 | 1.25 | 10.00 | |
| " " col | | .60 | 3.00 | 25.00 |
| " macrocarpon, col | 10 | .50 | 1.50 | 10.00 |
| " Pennsylvanicum, col | | .60 | 3.00 | 25.00 |

All plants in this list are nursery grown unless otherwise specified.

| | EACH | 10 | 100 | 1000 |
|---|------|------|-------|-------|
| Vaccinium stamineum, 8 to 12 inch | 15 | .80 | 6.00 | |
| " " collected | | .75 | 4.00 | 30.00 |
| " vacillans, col | | .60 | 3.00 | 25.00 |
| Viburnum acerifolium, 1 to 2 feet | 15 | 1.00 | 7.00 | |
| " " col | | .60 | 3.00 | 25.00 |
| " cassinoides, 1½ to 3 ft | 25 | 1.50 | 10.00 | |
| " dentatum, 3 to 4 feet | 30 | 2.00 | | |
| " " 2 to 3 feet, transplanted . | 25 | 1.50 | 8.00 | |
| " lentago, 2 to 3 feet | 25 | 1.50 | 10.00 | |
| " nudum, col | | .60 | 3.00 | 25.00 |
| " prunifolium, transplanted | 30 | 1.25 | | |
| " tomentosum, 3 to 5 feet | 50 | 1.50 | 10.00 | |
| Virgilia lutea, 6 to 12 inch | 15 | 1.00 | 6.00 | |
| Xanthoxylum Americanum | 25 | .80 | | |
| " " collected | | .75 | 4.00 | 30.00 |
| Xanthorrhiza apiifolia | 20 | 1.25 | 6.00 | |

Coniferous Evergreens.

| | | | |
|--|----|------|-------|
| Arborvitæ, dwarf, 1 to 2 feet | 25 | 1.50 | |
| Colorado Blue Spruce, seedlings, 1 to 2 ft . | 35 | 2.50 | |
| Norway Spruce, 2 to 4 feet | 15 | 1.00 | 7.00 |
| Pinus strobus, 3 to 5 feet | 25 | 2.00 | |
| Pinus rigida, seedlings, col | | .50 | 1.50 |
| | | | 12.00 |



AZALEA

HOYT & SON, PRINTERS, HAMMONTON